







SECTION Y-Y



SECTION X-X



PART WITH PICK-UP CAP,SEE NOTE 4
SCALE 2:1




GENERAL TOLERANCES (UNLESS SPECIFIED)		 Guangdong MZF Interconnection co., LTD.	
.X ± 0.35	X.° ± 3°	PART NO. SEE TABLE	TITLE: 12G SAS RECEPTACLE VERTICAL SMT TYPE ASSY
.XX ± 0.25	.X° ± 2°		
.XXX ± 0.15	.XX° ± 1°	APPROVED: fchen 05/25'15	DWG NO.
ECN NO.	PRD 1505003	CHECKED: hcyao 05/25'15	10-1003-06
SIZE	UNIT	DRAWN: bxpeng 05/25'15	CUSTOMER DWG
A3	mm		SCALE
			SHEET
			REV.
			1:1
			1/3
			A

HOUSING HIGH TEMP THERMOPLASTIC,UL94V-0
COLOR:BLACK
CONTACT:COPPER ALLOY
BOARDLOCK:COPPER ALLOY



CONTACT AREA:MIN 0.76µm GOLD PLATING
SOLDERTAIL: MIN 2.54µm MATTE TIN PLATING
UNDERPLATE: MIN 1.27µm NICKEL PLATING

CURRENT RATING: 1.5A
CONTACT RESISTANCE: 30mΩ MAX
INSULATOR RESISTANCE: 1000 MΩ MIN
DIELECTRIC WITH STANDING VOLTAGE: 500V AC

3 = GOLD FLASH



GENERAL TOLERANCES (UNLESS SPECIFIED)		 Guangdong MZF Interconnection co., LTD.	
.X ± 0.35	X.° ± 3°	PART NO.	TITLE:
.XX ± 0.25	.X° ± 2°	SEE TABLE	12G SAS RECEPTACLE VERTICAL SMT TYPE ASSY
.XXX ± 0.15	.XX° ± 1°	APPROVED: fchen 05/25'15	DWG NO.
ECN NO.	PRD 1505003	CHECKED: hcyaoy 05/25'15	10-1003-06
SIZE	UNIT	DRAWN: bxpeng 05/25'15	CUSTOMER DWG
A3	mm		 SCALE SHEET REV. 1:1 2/3 A



ALL OTHER DIMENSION REFER TO SHEET 1

DETAIL 2
SCALE 2:1

P/N	METAL CLIP	Q,TY/REEL	REEL/BOX	SPQ	MOQ
8100311115	1PCS	320	4	1280	1280
8100312115	1PCS				
8100311116	2PCS				
8100312116	2PCS				



GENERAL TOLERANCES (UNLESS SPECIFIED)		 Guangdong MZF Interconnection co., LTD.				
.X ± 0.35	X.° ± 3°	PART NO. SEE TABLE	TITLE: 12G SAS RECEPTACLE VERTICAL SMT TYPE ASSY			
.XX ± 0.25	.X° ± 2°					
.XXX ± 0.15	.XX° ± 1°	APPROVED: fchen 05/25'15	DWG NO. 10-1003-06		CUSTOMER DWG	
ECN NO.	PRD 1505003	CHECKED: hcyaoy 05/25'15				
SIZE	UNIT	DRAWN: bxpeng 05/25'15		SCALE	SHEET	REV.
A3	mm			1:1	3/3	A